Index of Authors

AJAYI, JERRY A. Effects of Aureo-S-700^{R} on sporulation, viability and infectivity of ovine coccidial oocysts, 335

ANDERSON, N., BLAKE, R. and TITCHEN, D. A. Effects of a series of infections of *Ostertagia circumcincta* on gastric secretion of sheep, 1

ANDERSON, R. M. Seasonal variation in the population dynamics of *Caryophyllaeus laticeps*, 281

BANAJA, A. A., JAMES, J. L. and RILEY, J. Some observations on egg production and autoreinfection of *Reighardia sternae* (Diesing, 1864), a pentastomid parasite of the herring gull, 81

BLAKE, R. *See* ANDERSON, N.

BLAND, P. W. Immunity to *Hymenolepis diminuta*: unresponsiveness of the athymic nude mouse to infection, 93

BIRD, ALAN F. and MCCLURE, M. A. The tylenchid (Nematoda) egg shell: structure, composition and permeability, 19

BIRD, A. F. *See* MCCLURE, MICHAEL A.

BROOKER, B. E. The cell coat of *Crithidia fasciculata*, 259

BROUGHTON, P. F. *See* KENNEDY, C. R.

BUTCHER, G. A. *See* MITCHELL, G. H.

CATCHPOLE, JANET, NORTON, C. C. and JOYNER, L. P. Experiments with defined multispecific coccidial infections in lambs, 137

CATCHPOLE, JANET. *See* NORTON, C. C.

CHRISTENSEN, NIELS ØRNBJERG. *See* NANSEN, PETER.

COHEN, S. *See* MITCHELL, G. H.

DRASKAU, TOVE. *See* WILSON, R. A.

FINLAYSON, L. H. *See* HARRY, OWEN G.

FRANSEN, FLEMMING. *See* NANSEN, PETER.

GENTLE, MAUREEN. *See* WILSON, PETER A. G.

GEORGI, J. R. *See* WHITLOCK, J. H.

HARRY, OWEN G. and FINLAYSON, L. H. The life-cycle, ultrastructure and mode of feeding of the locust amoeba *Malpighamoeba locustae*, 127

HARGREAVES, B. J. *See* WALLIKER, D.

HEIN, HELEN E. *See* NORTON, C. C.

HERD, R. P. The cestocidal effect of complement in normal and immune sera *in vitro*, 325

HINE, P. M. *See* KENNEDY, C. R.

HOWARD, R. J. The growth of secondary infections of *Hymenolepis microstoma* in mice: the effect of various primary infection regimes, 317

JAMES, J. L. *See* BANAJA, A. A.

JOYNER, L. P. and NORTON, C. C. The immunity arising from continuous low-level infection with *Eimeria maxima* and *Eimeria acervulina*, 115

JOYNER, L. P. *See* NORTON, C. C.

KATIYAR, J. C. *See* RICKARD, M. D.

KENNEDY, C. R., BROUGHTON, P. F. and HINE, P. M. The sites occupied by the acanthocephalan *Pomphorhynchus laevis* in the alimentary canal of fish, 195

KUMAR, V. and MORTELMANS, J. Immune response of guinea-pigs to chemically abbreviated prepatent *Metastrongylus apri* infection, 13

LAINSON, R., SHAW, J. J. and WARD, R. D. *Schellackia landauae* sp.nov. (Eimeriorina: Lankesterellidae) in the Braziliana lizard *Polychrus marmoratus* (Iguanidae): experimental transmission by *Culex pipiens fatigans*, 225

LEE, D. L. *See* MARTIN, J.
LEE, D. L. *See* WILKINS, D.
LLOYD, M. *See* WAKELIN, D.

MCCLURE, MICHAEL A. and BIRD, A. F. The tylenchid (Nematoda) egg shell: formation of the egg shell in *Meloidogyne javanica*, 29
MCCLURE, M. A. *See* BIRD, ALAN F.
MARTIN, J. and LEE, D. L. Observations on the crystals found in the intestine of *Nematodirus battus* during the development of immunity to this nematode in lambs, 75
MITCHELL, G. H., BUTCHER, G. A., VOLLER, A. and COHEN, S. The effect of human immune IgG on the *in vitro* development of *Plasmodium falciparum*, 149
MORTELMANS, J. *See* KUMAR, V.

NANSEN, PETER, FRANDSEN, FLEMMING and CHRISTENSEN, NIELS ØRNBJERG. A study on snail location by *Fasciola hepatica* using radioisotopically labelled miracidia, 163
NORTON, C. C. and CATCHPOLE, JANET. The occurrence of *Eimeria marsica* in the domestic sheep in England and Wales, 111
NORTON, C. C. and HEIN, HELEN E. *Eimeria maxima*: a comparison of two laboratory strains with a fresh isolate, 345
NORTON, C. C. *See* CATCHPOLE, JANET.
NORTON, C. C. *See* JOYNER, L. P.

RICKARD, M. D. and KATIYAR, J. C. Partial purification of antigens collected during *in vitro* cultivation of the larval stages of *Taenia pisiformis*, 269
RILEY, J. *See* BANAJA, A. A.

SANDERSON, A. *See* WALLIKER, D.
SCOTT, DOUGLAS, S. *See* WILSON, PETER A. G.
SELBY, GWENDOLINE R. *See* WAKELIN, D.
SHAW, J. J. *See* LAINSON, R.

TITCHEN, D. A. *See* ANDERSON, N.
TUKAHIRWA, E. M. The feeding behaviour of the larvae, nymphs and adults of *Rhipicephalus appendiculatus*, 65

VOLLER, A. *See* MITCHELL, G. H.

WAKELIN, D. and LLOYD, M. Immunity to primary and challenge infections of *Trichinella spiralis* in mice: a re-examination of conventional parameters, 173
WAKELIN, D. and LLOYD, M. Accelerated expulsion of adult *Trichinella spiralis* in mice given lymphoid cells and serum from infected donors, 307
WAKELIN, D. and SELBY, GWENDOLINE, R. Immune expulsion of *Trichuris muris* from resistant mice: suppression by irradiation and restoration by transfer of lymphoid cells, 41
WALLIKER, D., SANDERSON, A., YOELI, M. and HARGREAVES, B. J. A genetic investigation of virulence in a rodent malaria parasite, 183
WARD, R. D. *See* LAINSON, R.
WHEATER, P. R. and WILSON, R. A. The tegument of *Schistosoma mansoni*: a histochemical investigation, 99
WHITLOCK, J. H. and GEORGI, J. R. Biological controls in mixed trichostrongyle infections, 207
WILKINS, D. and LEE, D. L. Qualitative and quantitative histochemical changes in the caecum and liver of turkeys infected with *Histomonas meleagridis*, 51
WILSON, PETER A. G., GENTLE, MAUREEN and SCOTT, DOUGLAS S. Milk-borne infection of rats with *Strongyloides ratti* and *Nippostrongylus brasiliensis*, 355
WILSON, R. A. and DRASKAU, TOVE. The stimulation of daughter redia production during the larval development of *Fasciola hepatica*, 245
WILSON, R. A. *See* WHEATER, P. R.

YOELI, M. *See* WALLIKER, D.

Index of Subjects

Abomasal function, effect of infections of *Ostertagia circumcincta* in sheep, 1
Antibodies, specific, effect on *Echinococcus granulosus*, 325
Antigen purification, during *in vitro* cultivation of *Taenia pisiformis*, 269
Aureo-S-700^{R}, effect on coccidial oocysts, 335

Behaviour, when feeding, of *Rhipicephalus appendiculatus*, 65
Biological controls, in mixed trichostrongyle infections, 207

Caryophyllaeus laticeps, population dynamics of, 281
Cell coat, of *Crithidia fasciculata*, 259
Cell transfer, and serum transfer, to accelerate immune expulsion of *Trichinella spiralis* by mice, 307
to restore immune expulsion of *Trichuris muris* from irradiated, resistant mice, 41
Cestodes, lethal effect of complement on, 325
Chemical abbreviation, of *Metastrongylus apri* infections, effect on immune response in guinea-pigs, 13
Chemotherapy, of coccidiosis, 335
Coccidiosis, defined, multispecific infections in lambs, 137
distribution of *Eimeria marsica* in sheep, 111
effect of Aureo-S-700^{R} on oocysts, 335
Complement, cestocidal effect of, 325
Crithidia fasciculata, the cell coat of, 259
Cross-protection, with different strains of *Eimeria maxima*, 345
Crystals, in the intestine of *Nematodirus battus*, 75
Culture, conditions for *in vitro* development of *Plasmodium falciparum*, 149
Cytochemistry, of cell coat of *Crithidia fasciculata*, 259

Development, *in vitro*, of *Plasmodium falciparum*, effect of human immune IgG, 149
Direct transmission, of *Reighardia sternae*, 81
Distribution, of *Eimeria marsica* in England and Wales, 111
Drug resistance, as a genetic marker in *Plasmodium yoelii yoelii*, 183
Drugs, anticoccidial effect of Aureo-S-700^{R}, 335

Echinococcus granulosus, effect of complement on, 325
Egg, production, by *Reighardia sternae*, 111
shell, formation in *Meloidogyne javanica*, 29
structure, composition and permeability of, in *Meloidogyne javanica*, 19
Eimeria acervulina, immunity arising from 'trickle' infections, 115
Eimeria marsica, distribution in sheep in England and Wales, 111
Eimeria maxima, comparison of laboratory strains with a fresh isolate, 345
immunity arising from 'trickle' infections, 115
Eimeria spp., experiments with defined, multispecific infections in lambs, 137
Environmental effects, on daughter redia production by *Fasciola hepatica*, 245
Enzyme, changes, in liver and caecum of turkeys infected with *Histomonas meleagridis*, 51
markers, in genetics of *Plasmodium yoelii yoelii*, 183
Experimental infections, of lambs with *Eimeria* spp., 137

Fasciola hepatica, host location by, 163
stimulation of daughter redia production during larval development in, 245
Fecundity, of *Reighardia sternae*, 81
Feeding, of *Malpighamoeba locustae*, 127
of *Rhipicephalus appendiculatus*, 65
Fundic pouches, in sheep, used to study *Ostertagia circumcincta* infections, 1

Gastric secretion, of sheep, effect of infections with *Ostertagia circumcincta*, 1
Genetics, of virulence in *Plasmodium yoelii yoelii*, 183
Germ cell cycle, in *Fasciola hepatica*, 245
Growth, and crowding of *Pomphorhynchus laevis*, 195

Haemogregarines, *Schellackia landauae* sp.nov., 225
Histochemistry, of changes in liver and caecum of turkeys infected with *Histomonas meleagridis*, 51
of tegument of *Schistosoma mansoni*, 99
Histomonas meleagridis, histochemical changes in liver and caecum of infected turkeys, 51
Host location, by *Fasciola hepatica*, 163
Hymenolepis diminuta, immunity to, of athymic nude mice, 93
Hymenolepis microstoma, immunity to, 317

Immune expulsion, of *Trichinella spiralis*, 173, 307
Immune response, of guinea-pigs, to chemically abbreviated infections of *Metastrongylus apri*, 13
Immune suppression, in mice infected with *Trichuris muris*, 41
Immunity, arising from 'trickle' infections with *Eimeria* spp., 115
of athymic nude mice to *Hymenolepis diminuta*, 93
of lambs to *Nematodirus battus*, 75
of mice to *Hymenolepis microstoma*, 317
of mice to *Trichinella spiralis*, 173, 307
to *Eimeria maxima*, comparison of strains, 345
Immunoglobulin G, effect on *in vitro* development of *Plasmodium falciparum*, 149
Infections, mixed trichostrongyle, biological controls in, 207
primary and challenge, of *Trichinella spiralis*, 173
primary and secondary, of *Hymenolepis microstoma*, 317
Intestine, of *Nematodirus battus*, crystals in, 75
Irradiation, causing suppression of immune expulsion of *Trichuris muris* from mice, 41

Larval development, in *Fasciola hepatica*, 245
Levamisole, in chemotherapy of *Metastrongylus apri* infections, 13
Liberation, of *Pomphorhynchus laevis* cystacanths, 195
Life-cycle stages, miracidia of *Fasciola hepatica*, host location by, 163
of coccidia, effect of Aureo-S-700^{R}, 335
of *Malpighamoeba locustae*, 127
of *Rhipicephalus appendiculatus*, feeding behaviour of, 65

Malpighamoeba locustae, life-cycle, ultrastructure and feeding of, 127
Meloidogyne javanica, formation of egg shell in, 29
structure, composition and permeability of egg shell in, 19
Metastrongylus apri, immune response to chemically abbreviated prepatent infections, 13
Milk-borne infections, of *Strongyloides ratti* and *Nippostrongylus brasiliensis* in rats, 355
Models, stochastic and deterministic, for population dynamics of *Caryophyllaeus laticeps*, 281

Nematodirus battus, observations on crystals in the intestine of, 75
New species, *Schellackia landauae* in the Brazilian lizard *Polychrus marmoratus*, 225
Nippostrongylus brasiliensis, milk-borne infections of, in rats, 355
Nude mouse, infections of *Hymenolepis diminuta* in, 93

Oogonia, of *Meloidogyne javanica*, 29
Ostertagia circumcincta, effect of, on gastric secretion in sheep, 1

Pathogenicity, of different strains of *Eimeria maxima*, 345
Pathology, of *Histomonas meleagridis* infections in turkeys, 51
Permeability, of egg shell, in *Meloidogyne javanica*, 19

Plasmodium falciparum, in vitro development of, 149
Plasmodium yoelii yoelii, genetics of virulence in, 183
Pomphorhynchus laevis, site selection by, in fish alimentary canal, 195
Population dynamics, of *Caryophyllaeus laticeps*, 281

Reighardia sternae, (Diesing, 1864), egg production and autoreinfection in, 81
Rhipicephalus appendiculatus, feeding behaviour of, 65

Schellackia landauae sp.nov., from *Polychrus marmoratus*, 225
Schistosoma mansoni, histochemistry of tegument of, 99
Seasonal variation, in population of *Caryophyllaeus laticeps*, 281
Site selection, by *Pomphorhynchus laevis*, 195
Skin reactions, of rabbits, to antigens from *Taenia pisiformis*, 269
Snail location, by miracidia of *Fasciola hepatica*, 163
Strongyloides ratti, milk-borne infections of, in rats, 355

Taenia pisiformis, purification of antigens during *in vitro* cultivation of larval stages of, 269
Tegument, of *Schistosoma mansoni*, histochemistry of, 99
Thymus dependency, of immunity to *Hymenolepis diminuta* in mice, 93
Trichinella spiralis, immune expulsion of, 307
immunity to primary and challenge infections of, 173
Trichostrongylosis, biological controls in mixed infections of, 207
Trichuris muris, immune expulsion of, from resistant mice, 41
'Trickle' infections, of *Eimeria* spp., immunity arising from, 115

Ultrastructure, of cell coat of *Crithidia fasciculata*, 259
of egg shell formation in *Meloidogyne javanica*, 19, 29
of *Malpighamoeba locustae*, 127

Vaccination, of rabbits with antigens from *Taenia pisiformis*, 269

CONTENTS

(*All rights reserved*)

Part 1 February 1976

PAGE

Anderson, N., Blake, R. and Titchen, D. A. Effects of a series of infections of *Ostertagia circumcincta* on gastric secretion of sheep 1

Kumar, V. and Mortelmans, J. Immune response of guinea-pigs to chemically abbreviated prepatent *Metastrongylus apri* infection 13

Bird, Alan F. and McClure, M. A. The tylenchid (Nematoda) egg shell: structure, composition and permeability 19

McClure, Michael A. and Bird, A. F. The tylenchid (Nematoda) egg shell: formation of the egg shell in *Meloidogyne javanica* 29

Wakelin, D. and Selby, Gwendoline R. Immune expulsion of *Trichuris muris* from resistant mice: suppression by irradiation and restoration by transfer of lymphoid cells 41

Wilkins, D. and Lee, D. L. Qualitative and quantitative histochemical changes in the caecum and liver of turkeys infected with *Histomonas meleagridis* . 51

Tukahirwa, E. M. The feeding behaviour of larvae, nymphs and adults of *Rhipicephalus appendiculatus* 65

Martin J. and Lee, D. L. Observations on crystals found in the intestine of *Nematodirus battus* during the development of immunity to this nematode in lambs 75

Banaja, A. A., James, J. L. and Riley, J. Some observations on egg production and autoreinfection of *Reighardia sternae* (Diesing, 1864), a pentastomid parasite of the herring gull 81

Bland, P. W. Immunity to *Hymenolepis diminuta:* unresponsiveness of the athymic nude mouse to infection 93

Wheater, P. R. and Wilson, R. A. The tegument of *Schistosoma mansoni*: a histochemical investigation 99

Norton, C. C. and Catchpole, Janet. The occurrence of *Eimeria marsica* in the domestic sheep in England and Wales 111

Joyner, L. P. and Norton, C. C. The immunity arising from continuous low-level infection with *Eimeria maxima* and *Eimera acervulina* 115

Part 2 April 1976

Harry, Owen G. and Finlayson, L. H. The life-cycle, ultrastructure and mode of feeding of the locust amoeba *Malpighamoeba locustae* 127

Catchpole, Janet, Norton, C. C. and Joyner, L. P. Experiments with defined multispecific coccidial infections in lambs 137

PAGE

MITCHELL, G. H., BUTCHER, G. A., VOLLER, A. and COHEN, S. The effect of human immune IgG on the *in vitro* development of *Plasmodium falciparum* . . 149

NANSEN, PETER, FRANDSEN, FLEMMING and CHRISTENSEN, NIELS ØRNBJERG. A study on snail location by *Fasciola hepatica* using radioisotopically labelled miracidia 163

WAKELIN, D. and LLOYD, M. Immunity to primary and challenge infections of *Trichinella spiralis* in mice: a re-examination of conventional parameters . 173

WALLIKER, D., SANDERSON, A., YOELI, M. and HARGREAVES, B. J. A genetic investigation of virulence in a rodent malaria parasite 183

KENNEDY, C. R., BROUGHTON, P. F. and HINE, P. M. The sites occupied by the acanthocephalan *Pomphorhynchus laevis* in the alimentary canal of fish . . 195

PART 3 JUNE 1976

WHITLOCK, J. H. and GEORGI, J. R. Biological controls in mixed trichostrongyle infections 207

LAINSON, R., SHAW, J. J. and WARD, R. D. *Schellackia landauae* sp.nov. (Eimeriorina: Lankesterellidae) in the Brazilian lizard *Polychrus marmoratus* (Iguanidae): experimental transmission by *Culex pipiens fatigans* 225

WILSON, R. A. and DRASKAU, TOVE. The stimulation of daughter redia production during the larval development of *Fasciola hepatica* 245

BROOKER, B. E. The cell coat of *Crithidia fasciculata* 259

RICKARD, M. D. and KATIYAR, J. C. Partial purification of antigens collected during *in vitro* cultivation of the larval stages of *Taenia pisiformis* . . 269

ANDERSON, R. M. Seasonal variation in the population dynamics of *Caryophyllaeus laticeps* 281

WAKELIN, D. and LLOYD, M. Accelerated expulsion of adult *Trichinella spiralis* in mice given lymphoid cells and serum from infected donors 307

HOWARD, R. J. The growth of secondary infections of *Hymenolepis microstoma* in mice: the effect of various primary infection regimes 317

HERD, R. P. The cestocidal effect of complement in normal and immune sera *in vitro* 325

AJAYI, JERRY A. Effects of Aureo-S-700^{R} on sporulation, viability and infectivity of ovine coccidial oocysts 335

NORTON, C. C. and HEIN, HELEN E. *Eimera maxima*: a comparison of two laboratory strains with a fresh isolate 345

WILSON, PETER A. G., GENTLE, MAUREEN and SCOTT, DOUGLAS S. Milk-borne infection of rats with *Strongyloides ratti* and *Nippostrongylus brasiliensis* . 355

Index of Authors

ADAM, KATHERINE M. G., BLEWETT, D. A., BROCKLESBY, D. W. and SHARMAN, G. A. M. The isolation and characterization of a *Babesia* from red deer (*Cervus elaphus*), 1

AHERN, W. B. and SCHMIDT, G. D. Parastic helminths of the American avocet *Recurvirostra americana*: four new species of the families Hymenolepididae and Acoleidae (Cestoda: Cyclophyllidae), 381

AL-BALDAWI, F. A. K., ALEXANDER, J. B., STOREY, D. M. and KERSHAW, W. E. The immune response to filariasis in protein-deficient cotton rats, xviii

AL CHALABI, K. and GUTTERIDGE, W. E. Thymidylate synthetase activity in the trypanosomatidae, xv

ALEXANDER, J. B. *See* AL-BALDAWI, F. A. K.

ALEXANDER, J. B. *See* EZIGBO, J. C.

ANDERSON, J. C. *See* HUGHES, D. L.

ANDREASSEN, JØRN, HINDSBO, OLE and RUITENBERG, JOOST. Responsiveness of congenitally athymic nude mice to *Hymenolepis diminuta*, xxx

ANDREASSEN, JØRN. *See* HINDSBO, OLE.

ANDREWS, C. and ROJANAPAIBUL, A. The ecology of *Acanthocephalus clavula* (Dujardin, 1845) in the fish of Llyn Tegid, North Wales, xi

ANGUS, K. W. *See* COOP, R. L.

ARME, C. Nutrition in cestodes, xxiii

ARNOLD, SUSAN. *See* CROMPTON, D. W. T.

ASAOLU, S. O. Ovarian ball development in *Moniliformis* (Acanthocephala), xxviii

AVERY, R. A. *See* GHAZAL, A. M.

BAKER, R. A. Cellular responses in the freshwater mussel *Anodonta anatina* produced by the mite *Unionicola intermedia*, xxxiii

BANAJA, A. A., JAMES, J. J. and RILEY, J. Observations on the osmoregulatory system of pentastomids: the tegumental cuticular cells, xxix

BARRETT, J. Studies on the induction of permeability in *Ascaris lumbricoides* eggs, 109

BARRETT, J., COLES, G. C. and SIMPKIN, K. G. Pathway of acetate and proprionate production in *Fasciola hepatica*, xx

BARRETT, J. *See* COLES, G. C.

BARRETT, J. *See* KÖRTING, W.

BARTON, S. P., STOREY, D. M. and KERSHAW, W. E. The structure of *Litomosoides carinii* from protein-deficient cotton rats, xviii

BEHNKE, J. M., BLAND, P. W., HOWARD, R. J. and WAKELIN, D. Expulsion of *Trichinella spiralis*: effect on concurrent helminth infections, xv

BENNETT, C. E. Autoradiography of [^{3}H]thymidine incorporation by newly excysted and juvenile *Fasciola hepatica* xx

BETTERTON, CHRISTINE and LIM, BOO-LIAT. Trematodes as ecological indicators for squirrels in Malaya, xxxiv

BIANCO, A. E. The transmission of a new species of filarial worm and its development in a hard tick vector, v

BICKLE, QUENTIC. *Schistosoma mansoni*: attempts to immunize mice with irradiated infections, xxv

BINGHAM, A., WELLS, PHYLLIS D., STOREY, D. M. and KERSHAW, W. E. Filariasis in vitamin E deficient rats, xxxii

BLAND, P. W. *See* BEHNKE, J. M.

BLEWETT, D. A. *See* ADAM, KATHERINE M. G.

BOREHAM, P. F. L. and WRIGHT, I. G. Kallikrein and blood pressure in rabbits infected with *Trypanosoma brucei*, xxxi

BROCKLESBY, D. W. *See* ADAM, KATHERINE M. G.

BROWN, K. N. *See* JARRA, W.

BRUCE, R. G. Nutrition of nematodes, xxiii
BRUCE, R. G., ROSE, MARLENE and PARROTT, DELPHINE M. V. The response of lymphoblasts to intestinal infection with *Trichinella spiralis*, xvii
BURDEN, D. J. *Blastocystis* sp. – a parasite of pigs, iv
BURROUGH, R. The origins, build-up and characteristics of a *Ligula* epidemic, vii
BURROUGH, R. *See* KENNEDY, C. R.
BUTTERWORTH, A. E. *See* STURROCK, R. F.
BWATHONDI, P. O. J. Infection of trout, *Salmo trutta* L., by *Crepidostomum metoecus* (Braun, 1900) in Loch of Strathbeg, N.E. Scotland, x
BYNER, CAROLE. *See* HUDSON, K. M.

CHAPPELL, L. H. The nutrition of *Schistosoma* and *Fasciola*, xxii
CHAPMAN, H. D. *Eimeria tenella*: experimental studies on the development of resistance to robenidine, 265
CHAPMAN, H. D. Further studies on the use of chicken embryo infections for the study of drug resistance in *Eimeria tenella*, 275
CHRISTENSEN, NIELS ØRNBJERG, NANSEN, PETER and FRANDSEN, FLEMMING. Molluscs interfering with the capacity of *Fasciola hepatica* miracidia to infect *Lymnaea truncatula*, 161
CHRISTIE, M. G. Failure of third-stage larvae of *Haemonchus contortus* to penetrate mucosa of hyperimmune sheep, xviii
CHUBB, JAMES, C. Seasonal studies of monogeneans of freshwater fishes in relation to world climatic zones, x
CLARKSON, M. J. IgM in *Trypanosoma brucei* infection of different strains of mice, viii
CLEGG, J. A. *See* SMITH, M. A.
COLES, G. C., SIMPKIN, K. G. and BARRETT, J. Energy production in the liver fluke, *Fasciola hepatica*, xx
COLES, G. C. *See* BARRETT, J.
COLES, G. C. *See* SIMPKIN, K. G.
COOK, J. A. *See* UPATHAM, E. S.
COOK, R. M. The attachment of *Trypanosoma brucei* to sensitized mouse macrophages, viii
COOP, R. L., SYKES, A. R. and ANGUS, K. W. *Ostertagia circumcinta*: effect of subclinical infection on the performance and skeletal growth of sheep, xxxii
COTTRELL, BARRIE. The immune response of plaice, *Pleuronectes platessa*, to tissue parasites, xxxiv
COVER, B. *See* GABORAK, MARIA.
CROMPTON, D. W. T. The ovarian balls of *Moniliformis* (Acanthocephala), xxviii
CROMPTON, D. W. T., ARNOLD, SUSAN and WALTERS, D. E. The number and size of ovarian balls of *Moniliformis* (Acanthocephala) from laboratory rats, 65
CROSS, G. A. M. *See* TAYLOR, D. W.
CROWDEN, A. E. *Diplostomum spathaceum* in the Thames; occurrence and effects on fish behaviour, vii

DAVE, D., GUTTERIDGE, W. E. and RICHARDS, W. H. G. Conversion of dihydroorotate to orotate in *Plasmodium* sp., xvii
DAY, M. F. Changes in the epidermis of *Cryptocotyle lingua* (Creplin) during metamorphosis of the cercaria to the metacercaria in the second intermediate (fish) host, xxiv
DENHAM, D. A. and ROGERS, ROSEMARY. Anthelmintic-induced recovery of lymphatics damaged by filarial worms, iv
DOY, T. G. *See* HARNESS, E.
DUBEY, J. P. and FAYER, R. Development of *Isospora bigemina* in dogs and other mammals, 371

EURE, HERMAN. Seasonal abundance of *Proteocephalus ambloplitis* (Cestoidea: Proteocephalidea) from largemouth bass living in a heated reservoir, 205
EURE, H. Seasonal abundance of *Neoechinorhynchus cylindratus* taken from largemouth bass (*Micropterus salmoides*) in a heated reservoir, 355

EVANS, N. A. Precocious development of the digenean, *Asymphylodora dollfusi* in the prosobranch mollusc, *Bithynia tentaculata*, xi
EZIGBO, J. C., STOREY, D. M., ALEXANDER, J. B. and KERSHAW, W. E. Enzyme levels in cotton rat filariasis in normal and protein-deficient animals, xxxii

FAIRWEATHER, I. Neurosecretion in hymenolepidid tapeworms, xxxiv
FAYER, R. *See* DUBEY, J. P.
FRANDSEN, FLEMMING. *See* CHRISTENSEN, NIELS ØRNBJERG.

GABORAK, MARIA, COVER, B. and GUTTERIDGE, W. W. Activity of Ro7–1051, a 2-nitroimidazole, in experimental Chagas' disease, iii
GENTLE, MAUREEN. *See* WILSON, P. A. G.
GERY, Y. *See* SPIRA, D. T.
GHAZAL, A. M. and AVERY, R. A. Observations on coprophagy and the transmission of *Hymenolepis nana* infections in mice, 39
GIBSON, D. I. A comment upon the taxonomic significance and function of the 'excretory system' of ascaridoid nematodes, v
GOLENSER, J., SPIRA, D. T. and SHMUEL, Z. Mutual influence of infection with *Plasmodium berghei* and *Nippostrongylus brasiliensis* in rats, xiii
GOLENSER, J. *See* SPIRA, D. T.
GOOSE, J. On the persistence of *Fasciola hepatica* in rats resistant to reinfection, xxvi
GRAY, J. S. The cellular response of the fowl small intestine to primary and secondary infections of the cestode *Raillietina cesticillus* (Molin), 189
GRELL, G. *See* MULLER, R.
GUTTERIDGE, WINSTON E. *See* SIMS, PAUL.
GUTTERIDGE, W. E. *See* AL CHALABI, K.
GUTTERIDGE, W. E. *See* DAVE, D.
GUTTERIDGE, W. E. *See* GABORAK, MARIA.
GUTTERIDGE, W. E. *See* ROGERSON, G. W.

HALTON, D. W., STRANOCK, S. D. and HARDCASTLE, ANNE. Fine structural observations on oocyte development in monogeneans, 13
HALTON, D. W. Nutrition in monogeneans, xxi
HALTON, D. W. Oocyte development in monogeneans, xxvii
HARDCASTLE, ANNE. *See* HALTON, D. W.
HARNESS, E., DOY, T. G. and HUGHES, D. L. Host–parasite relationships of *Fasciola hepatica* in the mouse during the early stages of infection, xxv
HARNESS, E. *See* HUGHES, D. L.
HAZELHURST, JUDITH. *See* RYLEY, J. F.
HEATH, D. D. and LAWRENCE, S. B. *Echinococcus granulosus*: development *in vitro* from oncosphere to immature hydatid cyst, 417
HENDOW, H. T., STOREY, D. M. and KERSHAW, W. E. Combined infections of *Litomosoides carinii* and *Trypanosoma brucei* in hooded rats, xiii
HESKETH, PATRICIA. *See* ROSE, M. ELAINE.
HILLS, L. A. *See* JARRA, W.
HINDSBO, OLE, ANDREASSEN, JØRN and RUITENBERG, JOOST. Immunity to *Hymenolepis diminuta* in the rat: effects of ATS treatment, xxx

HINDSBO, OLE, *See* ANDREASSEN, JØRN.
HOCKLEY, D. J. *See* MCLAREN, DIANE J.
HOPKINS, C. A. and LAW, MAY. Surgical transplantation of *Hymenolepis diminuta* into irradiated and immunized mice, xxix
HOPKINS, C. A. and ZAJAC, A. Transplantation of *Hymenolepis diminuta* into naive, immune and irradiated mice, 73
HOUBA, V. *See* STURROCK, R. F.
HOWARD, R. J. The importance of the bile duct for the adaptation of *Hymenolepis microstoma* to its mouse host, xxx

HOWARD, R. J. *See* BEHNKE, J. M.
HUDSON, K. M., BYNER, CAROLE and TERRY, R. J. Possible mechanisms underlying immunodepression by Trypanosomes, ix
HUGHES, D. L., ANDERSON, J. C. and HARNESS, E. Effect of sensitization by different routes on parenteral challenge with adult *Fasciola hepatica* in rats, xxvi
HUGHES, D. L. *See* HARNESS, E.
HUSKISSON, N. S. *See* ORPIN, C. G.

IRVIN, A. D. and STAGG, D. A. Purine and pyrimidine metabolism in bovine lymphoid cells parasitized with *theileria parva*, xix
IRWIN, S. W. B. and THREADGOLD, L. T. Surface morphology of the redia of *Cryptocotyle lingua*, xxiii

JACOBS, D. E., PEGG, E. J. and STEVENSON, P. Observations on the epidemiology of helminth infections in greyhound and police dog kennels, i
JACOBS, D. E. *See* STEVENSON, P.
JAMES, B. L. Nutrition of marine digenea in the primary molluscan host, xxii
JAMES, C. *See* ROWNTREE, SUSAN.
JAMES, J. J. *See* BANAJA, A. A.
JARRA, W., HILLS, L. A. and BROWN, K. N. T cells in protective immunity to malaria, xii
JENKINS, D. C., OGILVIE, B. M. and MCLAREN, D. J. Comparative biology of adult *Nippostrongylus brasiliensis* from primary and challenge (immune adapted) infections, xiv
JENKINS, SIMON N. Studies on the functional antigens of *Trichuris muris*, xiv
JOYNER, L. P. and NORTON, C. C. Further observations on transferred drug-resistance in *Eimeria maxima*, iii

KEMP, D. H., KOUDSTAAL, D., ROBERTS, J. A. and KERR, J. D. *Boophilus microplus*: the effect of host resistance on larval attachments and growth, 123
KENNEDY, C. R. and BURROUGH, R. Changes in the dispersion patterns and frequency distribution of *Tylodelphys clavata*, *Diplostomum spathaceum* and *D. gasterostei* in fish of Slapton Ley, vii
KERR, J. D. *See* KEMP, D. H.
KERSHAW, W. E. and THOMAS, M. PUGH. Is biological monitoring of tropical rivers practicable?, ii
KERSHAW, W. E. *See* AL-BALDAWI, F. A. K.
KERSHAW, W. E. *See* BARTON, S. P.
KERSHAW, W. E. *See* BINGHAM, A.
KERSHAW, W. E. *See* EZIGBO, J. C.
KERSHAW, W. E. *See* HENDOW, H. T.
KLEIN, R. A. *See* MILLER, P. G. G.
KNOWLES, R. J. *See* SOUTHGATE, V. R.
KÖRTING, W. and BARRETT, J. Intermediary metabolism in the plerocercoids of *Schistocephalus solidus*, xix
KOUDSTAAL, D. *See* KEMP, D. H.

LACKIE, ANN M. Evasion of the haemocytic defence reaction of certain insects by larvae of *Hymenolepis diminuta* (Cestoda), 97
LACKIE, ANN M. Evasion of the haemocytic defence reaction of certain insect spp. by larval *Hymenolepis diminuta*, xxvii
LAW, MAY. *See* HOPKINS, C. A.
LAWRENCE, S. B. *See* HEATH, D. D.
LEE, D. L. *See* MARTIN, J.
LEE, D. L. *See* THOMPSON, R. C. A.
LE JAMBRE, L. F. and RACTLIFFE, L. H. Response of *Haemonchus contortus cayugensis* to a change in the ratio of smooth to linguiform, 213
LE JAMBRE, L. F. and WHITLOCK, J. H. Changes in the hatch rate of *Haemonchus contortus* eggs between geographic regions, 223.

LIM, BOO-LIAT. *See* BETTERTON, CHRISTINE.
LINSTEAD, D. J. *See* MILLER, P. G. G.
LLEWELLYN, J. Site preference in monogenean parasites of fish gills, xi
LONG, P. L. and MILLARD, B. J. Studies on site finding and site specificity of *Eimeria praecox*, *Eimeria maxima* and *Eimeria acervulina* in chickens, 327
LONG, P. L. *See* ROSE, M. E.

MANGER, BRIAN R. Studies on the resistance of mice to *Nematospiroides dubius* Baylis, 1962, xiii
MARSHALL, JONATHAN P. Observations on the envelope surrounding *Pomphorhynchus laevis* (Acanthocephala) in its intermediate host *Gammarus pulex*, xxix
MARTIN, J. and LEE, D. L. Changes in enzymes of *Nematodirus battus* associated with the development of immunity to this nematode in lambs, xviii
MARTINEZ, R. *See* MULLER, R.
MASON, A. R. and MITCHELL, J. B. Ultrastructural observations on the daughter sporocyst of *Gorgoderina vitelliloba*, xxv
MASON, A. R. *See* MITCHELL, J. B.
MCCOLM, A. A., SHAKESPEARE, P. G. and TRIGG, P. I. Proteins synthesized *in vitro* by the simian malarial parasite, *Plasmodium knowlesi*, xvii
MCCOLM, A. A. *See* TRIGG, P. I.
MCLAREN, DIANE J. and HOCKLEY, D. J. *Schistosoma mansoni*: the occurrence of microvilli on the surface of the tegument during transformation from cercaria to schistosomulum, 169
MCLAREN, DIANE J. and HOCKLEY, D. J. Studies on the surface membrane of *Schistosoma mansoni*, xxv
MCLAREN, D. J. *See* JENKINS, D. C.
MEADE, R. *See* RYLEY, J. F.
MILLARD, B. J. *See* LONG, P. L.
MILLARD, B. J. *See* SHIRLEY, M. W.
MILLER, P. G. G., LINSTEAD, D. J. and KLEIN, R. A. Routes for the synthesis and utilization of acetyl CoA in trypanosomatid flagellates, xvi
MILLS, C. A. Survival and fecundity of the ectoparasitic digenean *Transversotrema patrialense* on the fish host, vi
MITCHELL, J. B. and MASON, A. R. Factors affecting shedding of cercariae of *Gorgoderina vitelliloba*, vi
MITCHELL, J. B. *See* MASON, A. R.
MOMEN, HOOMAN. Carbohydrate metabolism of some apicomplexan infections in mouse erythrocytes, xvi
MULLER, R., SERGEANT, G., SERGEANT, B., WATTY, E., GRELL, G. and MARTINEZ, R. The effects of intestinal parasites on schoolchildren in Dominica (West Indies), ii

NANSEN, PETER. *See* CHRISTENSEN, NIELS ØRNBJERG.
NORTON, C. C. *See* JOYNER, L. P.
NOWELL, F. *Babesia rodhaini* in mice: some observations regarding the body temperature of infected animals, xxxi

OGBOURNE, C. P. Observations on the strongylid worm fauna of British horses, ii
OGILVIE, B. M. *See* JENKINS, D. C.
ORPIN, C. G., HUSKISSON, N. S. and WARD, P. F. V. Molecular structure and morphology of glycogen isolated from the cestode, *Moniezia expansa*, 83
OTUBANJO, O. A. Ultrastructural studies on the reproductive system of male *Schistosoma mansoni*, xxvii

PARKIN, J. T. The effect of moisture supply upon the development and hatching of the eggs of *Nematodirus battus*, 343
PARROTT, DELPHINE M. V. *See* BRUCE, R. G.
PEIRCE, M. A. Haemoproteid parasites of *Passer* spp., 407
PEGG, E. J. *See* JACOBS, D. E.

PHILLIPS, R. S. B.C.G. and Pertussis as potentiators of the protection induced in mice by injecting irradiated *Plasmodium berghei* infected red cells, xii
PURVIS, ANNE. Immunodepression in rodent piroplasmosis (*Babesia microti*), ix

RACTLIFFE, L. H. *See* LE JAMBRE, L. F.
REES, GWENDOLEN. The epidermis and its development in the cercaria of *Cryptocotyle lingua* (Creplin) from *Littorina littorea*, xxiv
RICHARDS, W. H. G. *See* DAVE, D.
RILEY, J. *See* BANAJA, A. A.
ROBERTS, J. A. *See* KEMP, D. H.
ROBINSON, THELMA E. *See* RYLEY, J. F.
ROGERS, ROSEMARY. *See* DENHAM, D. A.
ROGERSON, G. W. and GUTTERIDGE, W. E. Enzymes of energy metabolism in the culture, blood and intracellular forms of *Trypanosoma cruzi*, xv
ROJANAPAIBUL, A. The life-cycle of *Acanthocephalus clavula* (Dujardin, 1845) an Acanthocephalan of fish in Llyn Tegid, North Wales, xi
ROJANAPAIBUL, A. *See* ANDREWS, C.
ROLLINSON, D. Further electrophoretic studies on species of *Eimeria*, iv
ROSE, MARLENE. *See* BRUCE, R. G.
ROSE, M. ELAINE and HESKETH, PATRICIA. Immunity to coccidiosis: stages of the life-cycle of *Eimeria maxima* which induce, and are affected by, the response of the host, 25
ROSE, M. E. and LONG, P. L. *Eimeria tenella* survival of sporozoites *in vitro* within macrophages from immunized hosts, xiii
ROWNTREE, SUSAN and JAMES, C. Single sex cercariae of *Schistosoma mansoni* a comparison of male and female success in infectivity, vi
RUITENBERG, JOOST. *See* ANDREASSEN, JØRN.
RUITENBERG, J. *See* HINDSBO, OLE.
RYLEY, JOHN F. and WILSON, ROBERT G. Drug screening in cell culture for the detection of anticoccidial activity, 137
RYLEY, J. F. and WILSON, R. G. Laboratory studies with some older anticoccidials, 287
RYLEY, J. F., MEADE, R., HAZELHURST, JUDITH and ROBINSON, THELMA E. Methods in coccidiosis research: separation of oocysts from faeces, 311

SADLER, D. An investigation into population density changes of *Thersitina gasterostei* (Pagenstecher 1861), a copepod parasite of *Gasterosteus aculeatus* (L), vii
SCHMIDT, G. D. *See* AHERN, W. B.
SCHNUR, L. F. Leishmanial excreted factors as skin test reagents in the diagnosis of leishmaniasis, ix
SCOTT, D. S. *See* WILSON, P. A. G.
SERGEANT, B. *See* MULLER, R.
SERGEANT, G. *See* MULLER, R.
SHAKESPEARE, P. G. *See* MCCOLM, A. A.
SHAKESPEARE, P. G. *See* TRIGG, P. I.
SHARMAN, G. A. M. *See* ADAM, KATHERINE M. G.
SHIRLEY, M. W. and MILLARD, B. J. Some observations on the sexual differentiation of *Eimeria tenella* using single sporozoite infections in chicken embryos, 337
SHMUEL, Z. *See* GOLENSER, J.
SIMPKIN, K. G. and COLES, G. C. Observations on the mode of action of thiabendazole and mebendazole, iv
SIMPKIN, K. G. *See* BARRETT, J.
SIMPKIN, K. G. *see* COLES, G. C.
SIMS, PAUL and GUTTERIDGE, WINSTON E. Biochemical effects and mode of action of a 5-nitrofuran drug, SQ 18 506 on *Trypanosoma cruzi*, iii
SMITH, M. A. and CLEGG, J. A. Different levels of acquired immunity to *Schistosoma mansoni* in two strains of hamster, 47
SMITH, M. A., CLEGG, J. A. and WEBBE, G. Cross-immunity to *Schistosoma mansoni* and *S. haematobium* in the hamster, 53

SOUTHGATE, V. R. and KNOWLES, R. J. Studies on *Schistosoma margrebowiei*, v
SPIRA, D. T., GOLENSER, J. and GERY, Y. The reactivity of spleen cells from malarious rats to non-specific mitogens, xii
SPIRA, D. T. *See* GOLENSER, J.
STAGG, D. A. *See* IRVIN, A. D.
STEVENSON, P. and JACOBS, D. E. A study of the possible role of *Toxocara* spp. in the aetiology of the milkspot lesion of the porcine liver, i
STEVENSON, P. *See* JACOBS, D. E.
STOREY, D. M. *See* AL-BALDAWI, F. A. K.
STOREY, D. M. *See* BARTON, S. P.
STOREY, D. M. *See* BINGHAM, A.
STOREY, D. M. *See* EZIGBO, J. C.
STOREY, D. M. *See* HENDOW, H. T.
STRANOCK, S. D. *See* HALTON, D. W.
STURROCK, R. F., BUTTERWORTH, A. E. and HOUBA, V. *Schistosoma mansoni* in the baboon (*Papio anubis*) parasitological responses of Kenyan baboons to different exposures of a local parasite strain, 239
STURROCK, R. F. *See* UPATHAM, E. S.
SUSWILLO, R. R. Hybridization of *Brugia* species, v
SYKES, A. R. *See* COOP, R. L.

TAYLOR, D. W. and CROSS, G. A. M. The *in vitro* synthesis of variant-specific antigens of *Trypanosoma brucei*, vii
TERRY, R. J. *See* HUDSON, K. M.
THOMAS, M. PUGH. *See* KERSHAW, W. E.
THOMPSON, R. C. A. and LEE, D. L. Strain differences in *Echinococcus granulosus*: the application of isoelectric focusing techniques, vi
THREADGOLD, L. T. *See* IRWIN, S. W. B.
TINSLEY, R. C. Oncomiracidial morphology and evolutionary relationships within the polystomatidae (Monogenoidea), xxv
TRIGG, P. I. and MCCOLM, A. A. Cultivation of the erythrocytic stages of *Plasmodium berghei berghei in vitro*, xxxiii
TRIGG, P. I. and SHAKESPEARE, P. G. The effect of incubation *in vitro* on the susceptibility of monkey erythrocytes to invasion by *Plasmodium knowlesi*, 149
TRIGG, P. I. *See* MCCOLM, A. A.

UPATHAM, E. S., STURROCK, R. F. and COOK, J. A. Studies on the hatchability of *Schistosoma mansoni* eggs from a naturally infected human community on St Lucia, West Indies, 253

WAKELIN, D. *See* BEHNKE, J. M.
WALTERS, D. E. *See* CROMPTON, D. W. T.
WARD, P. F. V. *See* ORPIN, C. G.
WATTY, E. *See* MULLER, R.
WEBBE, G. *See* SMITH, M. A.
WELLS, PHYLLIS D. *See* BINGHAM, A.
WHITLOCK, J. H. *See* LE JAMBRE, L. F.
WILSON, P. A. G., GENTLE, MAUREEN and SCOTT, D. S. Dynamic determinants of the route of larval *Strongyloides ratti* in lactating rats and the control of experimental error in quantitative studies of milk transmission of skin-penetrating roundworms, 399
WILSON, R. G. Studies on short-term application of drugs to *Eimeria tenella* in tissue culture, 283
WILSON, R. G. *See* RYLEY, J. F.
WRIGHT, I. G. *See* BOREHAM, P. F. L.

YOUNG, MAY R. The incidence of intestinal protozoa in children in Great Britain, xxxv

ZAJAC, A. *See* HOPKINS, C. A.

Index of Subjects

Acanthocephala, number and size of ovarian balls of *Monoliformis dubius*, 65
seasonal abundance of *Neoechinorhynchus cylindratus*, 355
Acanthocephalus clavula, ecology of in various fish species, xi
life-cycle of, xi
Acetyl CoA, routes of synthesis and utilization of, in Trypanosomatid flagellates, xvi
Acetylthiocholinesterase, increased activity in monkey erythrocytes after *in vitro* incubation, 149
Acoleida, new species found in the American avocet, 381
Acquired immunity, of hamsters to *Schistosoma mansoni*, 47
Activity of Ro7–1051, a 2-nitroimidazole, in experimental Chagas' disease, iii
Adaptation, of *Hymenolepis microstoma*, importance of the bile duct for, xxx
Adjuvants, *Bordetella pertussis* and B.C.G. effects of, on protection induced in mice by injecting irradiated *Plasmodium berghei*-infected red cells, xii
Anadonta anatina, cellular response of, produced by the mite, xxxiii
Anticoccidial activity, detection of by drug screening in cell culture, 137
Anticoccidial drugs, development of resistance to robenidine by *Eimeria tenella*, 265, 275
effect of on chicken embryos infected with *Eimeria tenella*, 275
effect of short-term application of, on *Eimeria tenella*, 283
effect on various stages in the life-cycle of *Eimeria tenella*, 287
Apicomplexa, carbohydrate metabolism of, in infected mouse erythrocytes, xvi
Ascaridoid nematodes, taxonomic significance and function of the 'excretory system' in, v
Ascaris lumbricoides, permeability changes associated with egg hatching, 109
Autoradiography, of [^{3}H]thymidine incorporation by *Fasciola hepatica*, xx

Babesia capreoli, isolation and characterization from red deer, 1
Babesia rodhaini, effect on body temperature of infected mice, xxxi
Biological monitoring, of tropical rivers, ii
Blastocystis sp., a parasite of pigs, iv
Boophilus microplus, resistance of cattle to larval attachment, 123
Bulinus spp., compatibility with *Schistosoma margrebowiei*, v

Calicotyle kröyeri, oocyte development in, ultrastructural observations, 13
Carbohydrate metabolism of Apicomplexan infections in mouse erythrocytes, xvi
Cell culture, for detection of anticoccidial activity of drugs, 137
Cellular response, of *Anodonta anatina*, produced by the mite, xxxiii
Cervus elaphus, isolation and characterization of a *Babesia* from, 1
Cestodes, cellular immune response of fowl small intestine to infection by *Raillietina cesticillus*, 189
haemocytic reaction of insects to *Hymenolepis diminuta*, 97
in vitro development of *Echinococcus granulosus*, 417
new species found in the American avocet, 381
nutrition in, xxiii
seasonal abundance of *Proteocephalus ambloplitis* in largemouth bass, 205
transmission of *Hymenolepis nana* in mice, 39
transplant immunity of mice to *Hymenolepis diminuta*, 73
Chicken embryo, use of for studying development of resistance to anticoccidial drugs, 275
Coccidiosis, development of drug resistance by *Eimeria tenella*, 265, 275
effect of anticoccidial drugs on chicken embryos infected with *Eimeria tenella*, 275
effect of anticoccidial drugs on life-cycle stages of *Eimeria tenella*, 287
life-cycle stages of *Eimeria maxima* in induction of immunity, 25
separation of oocysts of *Eimeria tenella* from faeces, 311
sexual differentiation of *Eimeria tenella*, 337
site finding and site specificity of *Eimeria* spp., 327

Coprophagy, affecting transmission of *Hymenolepis nana* in mice, 39
Crepidostomum metoecus, infection of trout by, x
Cross-immunity, *Schistosoma* spp. in hamsters, 53
Cryptocotyle lingua, epidermal changes during metamorphosis of, xxiv
surface morphology of the redia of, xxiii

Diclidophora merlangi, oocyte development in, ultrastructural observations, 13
Digenea, nutrition of, in the primary molluscan host, xxii
Diplostomum spathaceum, occurrence and effects of on fish behaviour, vii
Diplozoon paradoxum, oocyte development in, ultrastructural observations, 13
Drug resistance, transference of in *Eimeria maxima*, iii
Drugs, anticoccidial effects detected by cell culture, 137

Echinococcus granulosus, *in vitro* development of, 417
Ecology, of *Acanthocephalus clavula* in various fish species, xi
Egg hatching, in *Ascaris lumbricoides*, permeability changes in, 109
rate, in humans infected with *Schistosoma mansoni*, 253
permeability, factors affecting hatching in *Ascaris lumbricoides*, 109
Eimeria acervulina, site of development of in the chicken intestine, 327
Eimeria maxima, life-cycle stages in induction of immunity in fowl, 25
site of development of in the chicken intestine, 327
transference of drug resistance in, iii
Eimeria praecox, site of development of in the chicken intestine, 327
Eimeria spp., electrophoresis of enzymes from, iv
Eimeria tenella, development of drug resistance in, 275
effect of anticoccidial drugs on various stages in the life-cycle of, 287
effect of short-term application of anticoccidial drugs on, 283
resistance of to robenidine, 265
separation of oocysts of from faeces, 311
sexual differentiation of, 337
Electrophoresis, of enzymes from *Eimeria* spp., iv
Epidemiology, of helminth infections in greyhound and police dog kennels, i
Epidermis, changes of, during metamorphosis in *Cryptocotyle lingua*, xxiv
Eucestodes, isolation and characterization of glycogen from *Moniezia expansa*, 83
'Excretory system', taxonomic significance and function of, in ascaridoid nematodes, v
Experimental Chagas' disease, effect of a 2-nitroimidazole, Ro7–1051 on, iii

Fasciola hepatica, energy production in, xx
host–parasite relationships of, during early infection in mice, xxv
immune response of sensitized rats, to parenteral challenge with, xxvi
infection of *Lymnaea truncatula* by, as affected by molluscs, 161
pathway of acetate and proprionate production in, xx
persistence of in rats resistant to re-infection, xxvi
[^{3}H]thymidine incorporation by, xx
Fasciola, nutritional roles of the gut and tegument in, xxii
Fecundity, of the ectoparasitic digenean *Transversotrema patrialense* on the fish host, vi
Filariasis, effect of, on enzyme levels in normal and protein-deficient cotton rats, xxxii
immune response of protein-deficient cotton rats to, xviii
in vitamin E-deficient rats, xxxii
Fish behaviour, effects of *Diplostomum spathaceum* on, vii
Flour beetle, haemocytic reaction to *Hymenolepis diminuta*, 97

Glycogen, isolated from *Moniezia expansa*, 83

Haemonchus contortus, changes in hatch rate of the eggs of, in various locations, 223
Haemonchus contortus cayugensis, response of to a change in ratio of smooth to linguiform worms, 213
Haemoproteus passeris, taxonomic studies of, 407

Hatching, of eggs of *Nematodirus battus*, effect of moisture on, 343
rate, of *Haemonchus contortus* eggs affected by geographical location, 223
test, for *Schistosoma mansoni* eggs from infected humans, 253
Helminth infections, epidemiology in greyhound and police dog kennels, i
Host–parasite relationships, of *Fasciola hepatica* during early infection, xxv
Host skin penetration, microvilli development on *Schistosoma mansoni* schistosomulum during, 169
Hymenolepididae, new species found in the American avocet, 381
Hymenolepidid tapeworms, neurosecretion in, xxxiv
Hymenolepis diminuta, haemocytic reaction of insects to, 97
immune response of ATS-treated rats to, xxx
responsiveness of athymic nude mice to, xxx
transplantation of, into irradiated and immunized mice, xxix
transplant immunity to, in recipient mice, 73
Hymenolepis microstoma, importance of the bile duct for adaptation of, xxx
Hymenolepis nana, transmission in mice, 39

Immune expulsion, of *Trichinella spiralis*, effect on concurrent helminth infections, xv
Immune response, of athymic nude mice to *Hymenolepis diminuta*, xxx
of ATS-treated rats, to *Hymenolepis diminuta*, xxx
of mice to transplanted *Hymenolepis diminuta*, xxix
of plaice to tissue parasites, xxxiv
of protein-deficient cotton rats to Filariasis, xviii
of sensitized rats, to parenteral challenge with adult *Fasciola hepatica*, xxvi
to infections of *Raillietina cesticullus* in the fowl small intestine, 189
Immunity, of fowl to *Eimeria maxima*, 25
Immunodepression, associated with trypanosome infection, mechanisms of, ix
in rodent piroplasmosis, ix
Immunoglobulin M, in mice infected with *Trypanosoma brucei*, viii
Incubation *in vitro*, causing membrane changes in monkey erythrocytes, 149
In vitro, development of *Echinococcus granulosus* in culture, 417
Isolation of glycogen, from *Moniezia expansa*, 83
Isospora bigemina, development of in mammals, 371

Kallikrein, activity in rabbits infected with *Trypanosoma brucei*, xxxi

Largemouth bass, recovery of *Proteocephalus ambloplitis* from, 205
seasonal abundance of *Neochinorhynchus cylindratus* in, 355
Larval attachment, resistance of cattle to *Boophilus microplus*, 123
Leishmanial excreted factors, as skin test reagents in the diagnosis of Leishmaniasis, ix
Leishmaniasis, diagnosis of, using Leishmanial excreted factors, ix
Life-cycle, of *Acanthocephalus clavula*, xi
of *Isospora bigemina* in mammals, 371
stages, of *Eimeria maxima* in induction of immunity, 25
Litomosoides carinii, combined infection of, with *Trypanosoma brucei* in rats, xiii
immune response of protein-deficient cotton rats to, xviii
structure of in protein-deficient cotton rats, xviii
Locust, haemocytic reaction to *Hymenolepis diminuta*, 97
Lymnaea truncatula, molluscs interfere with *Fasciola hepatica* infection of, 161
Lymphoblasts, response of, to infection with *Trichinella spiralis*, xvii

Macrophage surface, attachment of *Trypanosoma brucei* to in sensitized mice, viii
Malaria, T lymphocytes in protective immunity to, xii
Mebendazole, observations on the mode of action of, iv
Microvilli, development of during cercaria/schistosomulum transformation in *Schistosoma mansoni*, 169
Micropterus salmoides, seasonal abundance of *Neoechinrhynchus cylindratus* in, 355

Milkspot lesion, of porcine liver, possible role of *Toxocara* spp. in, i
Molluscs, effect on host-finding capacity of *Fasciola hepatica* miracidia, 161
Moniezia expansa, molecular structure and morphology of glycogen isolated from, 83
Moniliformis dubius, number and size of ovarian balls of, xxviii
ovarian ball development in, xxviii
ovarian balls of, 65
Monkey erythrocytes, susceptibility to *Plasmodium knowlesi* after incubation *in vitro*, 149
Monogeneans, modes of nutrition in, xxi
oocyte development in, xxvii
seasonal studies of, in freshwater fishes in various world climatic zones, x
ultrastructural observations of oocyte development in, 13
Mononuclear leucocyte infiltration, during infections of *Raillietina cesticillus* in the fowl, 189
Morphology, of the surface of the redia of *Cryptocotyle lingua*, xxiii

Nematodes, effect of moisture on development of eggs of, 343
egg permeability and hatching of *Ascaris lumbricoides*, 109
nutrition in, xxiii
skin penetration of larvae of, in suckling rats, 399
Nematodirus battus, effect of moisture on development of eggs of, 343
Nematospiroides dubius, resistance of mice to, xiii
Neoechinorhynchus cylindratus, seasonal abundance of, 355
Neurosecretion, in hymenolepidid tapeworms, xxxiv
Nippostrongylus brasiliensis, effect on *Plasmodium berghei* infection in rats, xiii
skin penetration of larvae of, in suckling rats, 399
5-Nitrofuran drugs, effect of SQ18, 506 on *Trypanosoma cruzi*, iii
Nutrition, in cestodes, xxiii
in monogeneans, xxi
in nematodes, xxiii
of marine digenea in the primary molluscan host, xxii

Oncomiracidial morphology, and evolutionary relationships within the polystomatidae, xxv
Oocysts, method of separation of from faeces, 311
Oocyte development, in monogeneans, xxvii
Oogenesis, ultrastructural observations of in monogeneans, 13
Orotate, synthesis of, from dihydroorotate in *Plasmodium* sp., xvii
Osmoregulation, in pentastomids, xxix
Ostertagia circumcincta, effect of on skeletal growth in sheep, xxxii
Ovarian balls, of *Moniliformis dubius*, xxviii
of *Monoliformis dubius*, number and size in unfertilized and fertilized females, 65

Papio anubis, parasitological responses of, to infection with *Schistosoma mansoni*, 239
Parasitological response, of Kenyan baboons to *Schistosoma mansoni*, 239
Pentastomids, the osmoregulatory system of, xxix
Plasmodium berghei, cultivation of the erythrocytic stages of, *in vitro*, xxxiii
effect of, on *Nippostrongylus brasiliensis* infection in rats, xiii
Plasmodium knowlesi, *in vitro* protein synthesis by, xvii
susceptibility of monkey erythrocytes to, 149
Plerocercoids, of *Schistocephalus solidus*, intermediary metabolism in, xix
Pleuronectes platessa, immune response of, to tissue parasites, xxxiv
Polystomatidae, oncomiracidial morphology of, xxv
Pomphorhynchus laevis, surrounding envelope of, in its intermediate host, xxix
Population density, effect on ratio of smooth to linguiform phenotypes of *Haemonchus contortus cayugensis*, 213
Protective immunity, induced by antigens of *Trichuris muris*, xiv
Protein synthesis, by *Plasmodium knowlesi*, *in vitro*, xvii
Proteocephalus ambloplitis, seasonal abundance of in largemouth bass from a heated reservoir, 205

Raillietina cesticillus, cellular immune response to, in the fowl small intestine, 189
Recurvirostra americana, parasitic helminths of, 381
Red deer, isolation and characterization of *Babesia capreoli* from, 1
Reproductive system, of male *Schistosoma mansoni*, ultrastructural studies on, xxvii
River pollution, feasibility of biological monitoring of tropical rivers, ii
Robenidine, development of resistance to, by *Eimeria tenella*, 265
Rodent piroplasmosis, immunodepression associated with, ix

Salmo trutta L., infection of by *Crepidostomum metoecus*, x
Schistocephalus solidus, intermediary metabolism in the plerocercoids of, xix
Schistosoma, nutritional roles of the gut and tegument in, xxii
haematobium, cross-immunity with *S. mansoni* in hamsters, 53
mansoni, acquired immunity to in hamsters, 47
cross-immunity with *S. haematobium* in hamsters, 53
microvilli on the tegument surface of, during cercaria/schistosomulum transformation, 169
parasitological responses of Kenyan baboons to, 239
studies on the hatchability of the eggs of, 253
ultrastructural studies on the male reproductive system of, xxvii
Schistosoma margrebowiei, biological characteristics of, v
Sexual differentiation, of *Eimeria tenella*, 337
Strongyloides ratti, skin penetration of larvae of, in suckling rats, 399
Surgical transplantation of *Hymenolepis diminuta* in mice, 73

Taxonomy, of haemoproteid parasites of *Passer* spp., 407
Tegument, of *Schistosoma mansoni*, the development of microvilli on, 169
Temperature-dependent migration, of plerocercoids of *Proteocephalus ambloplitis* in large-mouth bass, 205
Theileria parva, purine and pyrimidine metabolism in bovine lymphoid cells parasitized with, xix
Thiabendazole, observations on the mode of action of, iv
Thymidylate synthetase, activity of, in the trypanosomatidae, xv
Tick, resistance of cattle to larval attachment of *Boophilus microplus*, 123
Tissue culture, use of in studying anticoccidial drug action, 283, 287
T lymphocytes, in protective immunity to malaria, xii
Toxocara spp., role of in the aetiology of the milkspot lesion of porcine liver, i
Transversotrema patrialense, survival and fecundity on the fish host, vi
Trematodes, as ecological indicators for squirrels, xxxiv
cross-immunity of hamsters to *Schistosoma* spp, 53
immunity of hamsters to *Schistosoma mansoni*, 47
response of Kenyan baboons to *Schistosoma mansoni*, 239
Trichinella spiralis, effect of expulsion of, on concurrent helminth infections, xv
response of lymphoblasts to intestinal infection with, xvii
Trichuris muris, functional antigens of, xiv
Trypanosoma brucei, attachment of to sensitized mouse macrophages, viii
combined infection of, with *Litomosoides carinii* in rats, xiii
effect on kallikrein and blood pressure, in rabbits, xxxi
effect on serum immunoglobulin M in infected mice, viii
in vitro synthesis of variant-specific antigens of, vii
Trypanosoma cruzi, effect of a 5-nitrofuran drug, SQ 18, 506 on, iii
enzymes in various stages of, xv
Trypanosomatidae, thymidylate synthetase activity in, xv
Trypanosomatid flagellates, routes of synthesis and utilization of Acety CoA in, xvi
Trypanosomes, mechanisms of immunodepression associated with, ix

Variant-specific antigens, of *Trypanosoma brucei*, *in vitro* synthesis of, vii
Vitamin E-deficiency, effect of, on filariasis in rats, xxxii

CONTENTS

(*All rights reserved*)

Part 1 August 1976

PAGE

Adam, Katherine M. G., Blewett, D. A., Brocklesby, D. W. and Sharman, G. A. M. The isolation and characterization of a *Babesia* from red deer (*Cervus elaphus*) 1

Halton, D. W., Stranock, S. D. and Hardcastle, Anne. Fine structural observations on oocyte development in monogeneans 13

Rose, M., Elaine and Hesketh, Patricia. Immunity to coccidiosis: stages of the life-cycle of *Eimeria maxima* which induce, and are affected by, the response of the host 25

Ghazal, A. M. and Avery, R. A. Observations on coprophagy and the transmission of *Hymenolepis nana* infections in mice 39

Smith, M. A. and Clegg, J. A. Different levels of acquired immunity to *Schistosoma mansoni* in two strains of hamster 47

Smith, M. A., Clegg, J. A. and Webbe, G. Cross-immunity to *Schistosoma mansoni* and *S. haematobium* in the hamster 53

Crompton, D. W. T., Arnold, Susan and Walters, D. E. The number and size of ovarian balls of *Moniliformis* (Acanthocephala) from laboratory rats 65

Hopkins, C. A. and Zajac, A. Transplantation of *Hymenolepis diminuta* into naive, immune and irradiated mice 73

Orpin, C. G., Huskisson, N. S. and Ward, P. F. V. Molecular structure and morphology of glycogen isolated from the cestode, *Moniezia expansa* 83

Lackie, Ann M. Evasion of the haemocytic defence reaction of certain insects by larvae of *Hymenolepis diminuta* (Cestoda) 97

Barrett, J. Studies on the induction of permeability in *Ascaris lumbricoides* eggs 109

Kemp, D. H., Koudstaal, D., Roberts, J. A. and Kerr, J. D. *Boophilus microplus*: the effect of host resistance on larval attachments and growth 123

Part 2 October 1976

Ryley, John F. and Wilson, Robert G. Drug screening in cell culture for the detection of anticoccidial activity 137

Trigg, P. I. and Shakespeare, P. G. The effect of incubation *in vitro* on the susceptibility of monkey erythrocytes to invasion by *Plasmodium knowlesi* 149

PAGE

CHRISTENSEN, NIELS ØRNBJERG, NANSEN, PETER and FRANDSEN, FLEMMING. Molluscs interfering with the capacity of *Fasciola hepatica* miracidia to infect *Lymnaea truncatula* 161

MCLAREN, DIANE J. and HOCKLEY, D. J. *Schistosoma mansoni*: the occurrence of microvilli on the surface of the tegument during transformation from cercaria to schistosomulum 169

GRAY, J. S. The cellular response of the fowl small intestine to primary and secondary infections of the cestode *Raillietina cesticillus* (Molin) . . 189

EURE, HERMAN. Seasonal abundance of *Proteocephalus ambloplitis* (Cestoidea: Proteocephalidea) from largemouth bass living in a heated reservoir 205

LE JAMBRE, L. F. and RACTLIFFE, J. H. Response of *Haemonchus contortus cayugensis* to a change in the ratio of smooth to linguiform 213

LE JAMBRE, L. F. and WHITLOCK, J. H. Changes in the hatch rate of *Haemonchus contortus* eggs between geographic regions 223

Proceedings of the British Society for Parasitology, 7–9 April 1976 . . i

PART 3. DECEMBER 1976

STURROCK, R. F., BUTTERWORTH, E. A. and HOUBA, V. *Schistosoma mansoni* in the baboon (*Papio anubis*) parasitological responses of Kenyan baboons to different exposures of a local parasite strain . . 239

UPATHAM, E. S., STURROCK, R. F. and COOK, J. A. Studies on the hatchability of *Schistosoma mansoni* eggs from a naturally infected human community on St Lucia, West Indies 253

CHAPMAN, H. D. *Eimeria tenella*: experimental studies on the development of resistance to robenidine 265

CHAPMAN, H. D. Further studies on the use of chicken embryo infections for the study of drug resistance in *Eimeria tenella* 275

WILSON, R. G. Studies on short-term application of drugs to *Eimeria tenella* in tissue culture 283

RYLEY, J. F. and WILSON, R. G. Laboratory studies with some older anticoccidials. 287

RYLEY, J. F., MEADE, R., HAZELHURST, JUDITH and ROBINSON, THELMA E. Methods in coccidiosis research: separation of oocysts from faeces . 311

LONG, P. L. and MILLARD, B. J. Studies on site finding and site specificity of *Eimeria praecox*, *Eimeria maxima* and *Eimeria acervulina* in chickens 327

SHIRLEY, M. W. and MILLARD, B. J. Some observations on the sexual differentiation of *Eimeria tenella* using single sporozoite infections in chicken embryos 337

PAGE

PARKIN, J. T. The effect of moisture supply upon the development and hatching of the eggs of *Nematodirus battus* 343

EURE, H. Seasonal abundance of *Neoechinorhynchus cylindratus* taken from largemouth bass (*Micropterus salmoides*) in a heated reservoir . . 355

DUBEY, J. P. and FAYER, R. Development of *Isospora bigemina* in dogs and other mammals 371

AHERN, W. B. and SCHMIDT, G. D. Parasitic helminths of the American avocet *Recurvirostra americana*: four new species of the families Hymenolepididae and Acoleidae (Cestoda: Cyclophyllidae). 381

WILSON, P. A. G., GENTLE, MAUREEN and SCOTT, D. S. Dynamic determinants of the route of larval *Strongyloides ratti* in lactating rats and the control of experimental error in quantitative studies of milk transmission of skin-penetrating roundworms. 399

PEIRCE, M. A. Haemoproteid parasites of *Passer* spp. 407

HEATH, D. D. and LAWRENCE, S. B. *Echinococcus granulosus*: development *in vitro* from oncosphere to immature hydatid cyst 417